✓✓ OPTIMAL ✓ SUITABLE ★ NOT VALID



The following table shows several examples of the most frequently used aggressive substances and the model recommended for each use. Follow the maximum percentages indicated.

The sprayers are not suitable for working with many halogenated solvents.

Given the wide variety of products on the market, Goizper does not warrant the universal validity of its products. Always use caution when working and follow the instructions of the chemical manufacturer.

		IK MULTI MULTI Pro	IK FOAM	IK ALKALINES	IK HC	IK METAL/INOX
ACIDS	ACETIC ACID (MAX 20%) HYDROCHLORIC ACID(MAX 30%) HYDROFLUORIC ACID (MAX 20%) PHOSPHORIC ACID NITRIC ACID (MAX 20%) SULPHURIC ACID (MAX 30%) OTHER ACIDS	✓ ✓✓ ✓✓ ✓✓ ✓✓	✓ ✓ ✓ ✓ ✓ ✓ ✓		× × × × × ×	× × × × ×
ALCOHOLS	BUTANOL ETHANOL METHANOL OTHER ALCOHOLS	✓ ✓ ✓		// // //	✓ ✓ ✓	✓ ✓ ✓
ALIPHATIC HYDROCARBONS	DECANE HEPTANE HEXANE LIMONENE PENTANE		✓ ✓ ✓ ✓	× × × ×	*** *** *** **	\\\ \\\\ \\\\ \\\\ \\\\ \\\\ \\\\\ \\\\\
AROMATIC HYDROCARBONS	NAPHTHALENE TOLUENE (MAX 40%) XYLENE	✓ ✓ ✓	✓ ✓ ✓	× × ×	√√ √√ √√	√√ √√ √√
OILS AND PETROLEUM PRODUCTS	MINERAL/VEGETABLE OIL DIESEL OIL GASOLINE KEROSENE WHITE SPIRIT	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	× × × ×	** ** ** **	// // //
ALKALINE AND KETONES	ACETONE AMMONIA SODIUM HYDROXIDE (CAUSTIC SODA) POTASSIUM HYDROXIDE (CAUSTIC POTASH) SODIUM HYPOCHLORITE	× × ×	* * * *	√√ √√ ✓	* * * * * *	× × × ×